



Material Safety Data Sheet

CHEWING GUM REMOVER

Section I Product Identification	
Product Name: Chewing Gum Remover	Supplier: Dustbane Products Limited
Product Type: Aerosol Chewing Gum Remover	25 Pickering Place Ottawa On K1G 5P4
WHMIS Classification: A, B5	Phone: 613-745-6861
Section II Hazardous Ingredients	
Cas Registry No.	%
68476-85-7	100
Chemical Name(s)	Toxicity
Liquified Petroleum Gas	Not Available
Section III Physical Data	
Appearance: Liquified Gas, Colourless	Section IV Fire and Explosion Hazard Data
Odour:	Flash Point (Closed Cup) (°C): (TAG) -104 (-155.2°F) (Liquefied petroleum gas)
PH (concentrate): Not applicable	Extinguishing Media: CO ₂ , dry chemicals, alcohol foam
Boiling Point (°C): Not available	Special Fire Fighting Procedures: For small fire use dry chemicals or CO ₂ . For large fire use alcohol foam. Do not use water jet. If only water is available use it in the form of fog. Use water fog to keep container cool.
	Unusual Fire and Explosion Hazards: Risk of explosion of the product in presence of mechanical impact. Do not expose aerosol containers to open flames, heat or ignition sources. Contents under pressure. Container may explode if heated. Vapours may form a flammable/explosive mixture with air and are heavier than air. May travel to a source of ignition then a flash back to the point of product discharge causing an explosion or fire. Avoid chemical impact.
	Products of Combustion: CO, CO ₂
Specific Gravity: 0.508-0.584	Flammable Limits: 1.8% (lower); 9.5% (upper)
Solubility in water (%) : Insoluble	Flammability: The flame-extension of this product is greater than 45 cm.
Section V Toxicological Properties	
Effects of Overexposure	Hazard Rating
Swallowing: Contact with mouth, lips, tongue or any other tissue with liquid spray may cause severe frostbite.	Health: 2
Inhalation: May produce mild irritation to the nose, throat and respiratory tract and may cause coughing and sneezing. Vapours of this product can cause suffocation by reducing oxygen available for breathing. Breathing high concentrations of vapour may cause light headedness, headache, giddiness, shortness of breath, diarrhea, nausea and vomiting	Flammability: 4
Skin Absorption: Effect unknown	Reactivity: 2
Skin Contact: Contact with a rapidly evaporating liquid could result in frosting of the tissues or frostbite (inflammable of the skin, itching, scaling, reddening or occasional blistering)	
Eye Contact: Contact with liquid can cause frostbite	
Carcinogenic Effects: The ingredients of this product have not been listed as carcinogens by the National Toxicology Program (NTP).	
TLV: (Liquefied petroleum gas) TWA: 1000 CEIL: 1250 (ppm)	TWA: 1800 CEIL: 2250 (mg/m ³)
Special Warning: None	
Section VI First Aid Measures	
Ingestion: Get medical attention immediately	
Inhalation: Remove to fresh air. Call a physician immediately	
Skin: Wash affected tissue with warm water until the skin has warmed up and turned pink. Treat for frostbite if necessary. Call a physician immediately.	
Eyes: Flush with water for at least 15 minutes. Call a physician immediately.	
Section VII Reactivity Data	
Stable: x	Unstable:

