



900 XTT Hurricane Series

Industrial Automatic Scrubbers

Codes: 900 XTT – 28" (19326-C-AGM)

900 XTT – 30" Cylindrical (19360-C-AGM)

900 XTT – 32" (19327-C-AGM)

900 XTT – 36" (19328-C-AGM)





Exclusive Squeegee System



The system assures high performance throughout the cleaning task. It provides incomparable drying results even on the most difficult surfaces due to a very unique design. The blades can be used on 4 sides before needing replacement.

Tiltable recovery tank allows for easy access to internal compartments. The smooth internal finish make for easy rinsing and cleaning.

Flashing beacon light for safety.

Easy to handle and great maneuverability thanks to an optimum weight distribution. Built with an ergonomic, comfortable design.

Squeegee system is designed to absorb harsh impact. Also lifts automatically in reverse.

Easy to use control panel, with switches protected against water and humidity. Includes a battery level indicator.

Spin-on spin-off brush pad driver (single brush only) allows for brush replacement without tools.

Automatic stop (by pedal release) in working mode offers full control during cleaning.

Brush head designed to absorb harsh impact. (**Side brushes only on 30" version*)







Industrial Demand

Industrial cleaning is as important to the running of a business as retail or office cleaning. Warehouses have large areas of open space that are subject to high circulation caused by people, forklifts and heavy machinery. With this high circulation as well as the constant flow of merchandise, keeping an industrial zone clean and tidy might seem like fighting a losing battle. However, it is an essential part of the maintenance and smooth operation of any industrial work place. A clean and tidy workshop or warehouse will make it easier to maintain a good safety record as well as having a positive impact on your business image.

The Hurricane 900 XTT is designed for commercial and warehouse cleaning applications. It utilizes the latest technology to make it the easiest to use rider on the market. The control panel is user friendly with 3 pre-set work settings, the operator has great all round visibility and huge productivity.

Cylindrical Model

The 900 XTT 30" is a cylindrical ride-on that offers a scrubbing-sweeping system that includes a debris hopper with a capacity of 15 L. It's three cleaners in one, thanks to the two rollers as well as washing and drying capabilities. Brushes, scrubs, and sweeps!




SLS (Self Levelling System) Automatic brush pressure control

Constant brush pressure with immediate reaction, avoids excessive brush and actuator wear. This system allows a perfect fit between the brush and floor.



Extensive running time

Extremely large battery compartment allows batteries of up to 320 Ah (4.5 to 5 hours depending on the model).



Maximum protection for the vacuum motor (Water Level Sensor)

1. The vacuum motor is mounted in the highest part of the machine and is protected by a filter and water level sensor.
2. When the recovery tank is full, the right LED lights up and the vacuum motor shuts down. The left LED indicates when the cleaning solution has reached the reserve and there is enough solution for about 2 minutes.



Pre-programmed work settings

3 independent programs allow for the best settings for all types of applications. The solution flow remains adjustable at any time. Each program can be fully personalized.



900 XTT

Hurricane Series

Ride-On Automatic Scrubber



Optimal Performance

The Industrial Hurricane Series is designed for commercial and warehouse cleaning applications. It utilizes the latest technology to make it the easiest to use rider on the market. The control panel is user friendly with 3 pre-set work settings, the operator has great all round visibility and huge productivity.

Comfortable Cleaning

The ride-on scrubbers allow the operator to sit while cleaning, making the task less tiring.

Cylindrical Option

The 900 XTT 30" is a cylindrical ride-on that offers a scrubbing-sweeping system that includes a debris hopper with a capacity of 15 L. It's three cleaners in one, thanks to the two rollers as well as washing and drying capabilities. Brushes, scrubs, and sweeps!

*Cylindrical model shown



Specifications	28"	30" – Cylindrical	32"	36"
Model Number	19326-C-AGM	19360-C-AGM	19327-C-AGM	19328-C-AGM
Productivity (Theoretical at max speed)	49,514 ft ² /hr (4600 m ² /hr)	52,743 ft ² /hr (4900 m ² /hr)	58,125 ft ² /hr (4500 m ² /hr)	64,584 ft ² /hr (6000 m ² /hr)
Scrubbing Width	28" (71 cm)	30" (75 cm)	32" (83 cm)	36" (92 cm)
Squeegee Width	33" (83 cm)	40" (101 cm)	40" (101 cm)	43" (110 cm)
Numbers of brushes	2 X 14" (2 X 36 cm)	2 x 6" (2 x 15 cm) – Rollers	2 x 17" (2 x 44 cm)	2 x 18" (2 x 46 cm)
Brush/Pad Speed	200 rpm	1000 rpm	200 rpm	200 rpm
Brush Motor Power	2 x 400 W	1 x 1000 W	2 x 400 W	2 x 500 W
Motor Type	3-stage (650 W)	3-stage (650 W)	3-stage (650 W)	3-stage (650 W)
Water Lift at Squeegee	65" (165 cm)	65" (165 cm)	65" (165 cm)	65" (165 cm)
Traction Motor	Yes	Yes	Yes	Yes
Solution Tank Capacity	38 Gal (145 L)	38 Gal (145 L)	38 Gal (145 L)	38 Gal (145 L)
Recovery Tank Capacity	45 Gal (170 L)	45 Gal (170 L)	45 Gal (170 L)	45 Gal (170 L)
Power Supply	36 V (6 x 6 V)	36 V (6 x 6 V)	36 V (6 x 6 V)	36 V (6 x 6 V)
Maximum Speed	6 km/h	6 km/h	6 km/h	6 km/h
Weight (Without Batteries)	838 lbs (380 kg)	838 lbs (380 kg)	838 lbs (380 kg)	838 lbs (380 kg)
Unit Size (L x W x H)	68" x 33" x 54" (173 x 84 x 137 cm)	68" x 35" x 54" (173 x 89 x 137 cm)	68" x 40" x 54" (173 x 102 x 137 cm)	77" x 46" x 58" (196 x 117 x 147 cm)
Run Time	5 hrs	5 hrs	5 hrs	5 hrs
Noise Level	70 dB	70 dB	70 dB	70 dB
Approval(s)	N/A	N/A	N/A	N/A



Dustbane Products Ltd.
25 Pickering Pl., Ottawa, ON K1G 5P4
www.dustbane.ca